



## Water Depletion using WaterGap 3 Metadata and Technical Documentation

---

**Abstract:** Water depletion is a measure of the fraction of available renewable water consumptively used by human activities within a watershed. Our characterization of water depletion uses calculations from WaterGAP3 to assess long-term average annual consumed fraction of renewably available water, then integrates seasonal depletion and dry-year depletion, also based on WaterGAP3 calculations, with average annual depletion into a unified scale. There are 8 water depletion categories: <5% depleted, 5-25% depleted, 25-50% depleted, 50-75% depleted, dry-year depleted, seasonally depleted, 75-100% depleted, and >100% depleted. For data reliability reasons, we include only the 15,091 watersheds larger than 1,000 km<sup>2</sup>, which constitute 90% of total land area. A large number of small coastal watersheds are excluded. Detailed information can be found in the open-access paper "Water Depletion: An improved metric for incorporating seasonal and dry-year water scarcity into water risk assessments" online at Elementa: Science of the Anthropocene < <http://elementascience.org/>>

### Citation:

Brauman, KA, BD Richter, S Postel, M Malby, M Flörke. (2016) "Water Depletion: An improved metric for incorporating seasonal and dry-year water scarcity into water risk assessments." *Elementa: Science of the Anthropocene*

### Use Agreement:

Data may be freely downloaded for research, study, or teaching, but must be cited appropriately. Re-release of the data, or incorporation of the data into a commercial product, is allowed only with explicit permission. If you would like to request permission to use EarthStat data for another purpose, please contact us at [earthstat.data@gmail.com](mailto:earthstat.data@gmail.com).

### Contact Information:

Direct questions by email to [earthstat.data@gmail.com](mailto:earthstat.data@gmail.com)  
or  
[kate.brauman@umn.edu](mailto:kate.brauman@umn.edu)

For additional information regarding publications and research, visit

<http://www.watergap.de/>

or

<http://environment.umn.edu/research-solutions/global-water-initiative/>

## Data Products:

The following data products are included:

- **WaterGAP 3 basins (shapefile)**
  - Annual water depletion categories
    - <5%
    - 5-25%
    - Dry-Year
    - Seasonal
    - 75-100%
    - >100%
  - ContUID : Continent-based unique basin ID
  - SubBas\_ID: Unique basin ID, by continent (not globally unique)
- **Annual water depletion (geotiff)**
  - Annual water depletion categories
    - 1= <5%
    - 2= 5-25%
    - 5= Dry-Year
    - 6= Seasonal
    - 7= 75-100%
    - 8= >100%

## Formats:

All data are provided in the following formats:

- .tif : Geotiff (More information: <http://trac.osgeo.org/geotiff/>)
- .shp : Shapefile (More information: <https://en.wikipedia.org/wiki/Shapefile>)

## Resolution:

- Geotiff: Five minute by five minute resolution (~10km x 10km at equator)
- Shapefile contains 15,084 feature basins. Basins of area smaller than 1,000 km<sup>2</sup> were omitted from this study, and are not included.

## Map Projection:

- Data presented as five-arc-minute, 4320 x 2160 cell grid
- Spatial Reference: GCS\_WGS\_1984
- Datum: D\_WGS\_1984
- Cell size: 0.083333 degrees
- Layer extent:
  - Top : Geotiff: 90, Shapefile: 83.249970
  - Left: Geotiff: -180, Shapefile: -179.916667
  - Right: Geotiff: 180, Shapefile: 179.999856

- Bottom: Geotiff: -90, Shapefile: -54.833289